LITHOS

Lithos is the monolithic Audio entry panel created by Bpt for the X1 two-wires system. Compact and ultra-slim (protruding just 30 mm from the wall), Lithos will blend perfectly into any setting, thanks to its soft lines and elegant brushed stainless steel finish. Lithos can be fitted with single or double pushbuttons for single-family or two-family systems, and features the intercom function as standard without the need for supplementary power supply. In addition, it can be used to create systems designed to handle up to four calls.

- Intercom function as standard without the need for supplementary power supply

- Compatible with all Bpt receivers

- IP54 protection rate

- Wall mounted or recessed installation

COMPATIBLE SYSTEM

X1

2-WIRES

DIMENSIONS

	W (mm)	H (mm)	D (mm)
Wall-mounted	99	207	30
Recessed*	135	243	6,5**

(*) With frame for recessed installation.

(**) Embedding box: 127x235x54,5 mm.

PERLA

Wall-mounted intercommunicating hands-free entry control system

Ice white

Fusion black

Perla is a wall-mounted intercommunicating hands-free audio receiver marked by an unmistakable style and unrivalled appeal; the latest idea to make your home truly unique. Featuring a minimal and trendy design, absolutely Made in Italy personality and elegance advanced technology: all this in just 31 mm of thickness of new design, beguiling to the eye and easy to use. The hands-free audio makes for excellent audio quality. Available in Ice white and Fusion black, Perla blends in seamlessly with any interior décor, guaranteeing elegance and personality.

- Design with soft, modern lines
- Excellent audio quality
- Easy to use

COMPATIBLE SYSTEMS

XiP	X1	
INTERNET PROTOCOL	2 WIRES	ON BUS

TECHNICAL SPECIFICATIONS

FUNCTIONS AND DIMENSIONS

- Hands-free audio
- Door lock release
- Enable/Disable audio in conversation
- Two controls to enable auxiliary functions
- Two intercommunicating calls
- Ring volume control over 3 levels (low, medium, silent)
- Ring disabling with luminous signal
- Programmable melodies for entry panel and input calls
- Differentiated melodies for intercommunicating device or porter calls
- Programming of number of rings for entry panel calls

DIMENSIONS

(LxHxD) 110x170x31 mm

INSTALLATION

The compact size of the product and the adaptability of the mounting bracket supplied to the most popular recessed boxes (with 3 vertical modules or round) make for easy and rapid installation of the Perla entry control system.

CODES

ENTRY CONTROL SYSTEMS		
Item	Code	Description
PEC BI	60540010	Hands-free audio receiver. Ring volume control over three levels. It is equipped with blue LED backlit buttons to enable/disable communication, release the door lock, enable two auxiliary functions (turn on stair lights, call the porter, etc.) and to intercommunicating call buttons. Customisable differentiated ring melodies depending on the origin of the call (entry panels, input bell, intercommunicating device and porter). Mounting bracket included. Ice white.
PEC NF	60540020	Hands-free audio receiver. Ring volume control over three levels. It is equipped with blue LED backlit buttons to enable/disable communication, release the door lock, enable two auxiliary functions (turn on stair lights, call the porter, etc.) and to intercommunicating call buttons. Customisable differentiated ring melodies depending on the origin of the call (entry panels, input bell, intercommunicating device and porter). Mounting bracket included. Fusion black.

ENTRY CONTROL SYSTEMS KITS		
Item	Code	Description
LCKITPEC04	61700090	Single-family hands-free audio receiver kit, Ice white Perla series. X1 system. Wall-mounted Lithos LC/01 entry panel with DPH double button. VAS/101 power source.
LCKITPEC04B	61700110	Two-family hands-free audio receiver kit, Ice white Perla series. X1 system. Wall-mounted Lithos LC/01 entry panel with two DPS single buttons. VAS/101 power source.